



**THE CORPORATION OF THE TOWN OF LASALLE  
POLICE SERVICES BOARD**

<b>POLICY NAME:</b> <b>AI-015LPSB</b> Equipment Body Armour	<b>DATE APPROVED:</b> August 6, 2008
<b>REVISION DATES:</b> March 17, 2025	<b>REVIEW DATE:</b>
<b>RESCINDS:</b> 615 Body Armour	<b>EXPIRES:</b> Indefinite


It is the policy of the LaSalle Police Services Board with respect to equipment-body armour that:

1. The Chief of Police will:

- a) Ensure the provision of body armour equipment that is:
  - I. Constructed to provide the level of protection necessary for the performance of duty that addresses:
    - the type of weapons members are likely exposed to; and
    - protection for members from their own handguns and ammunition that are in accordance with prescribed specifications.
- b) Ensure the provision of body armour that is purchased from manufacturers that:
  - I. Practice effective quality control for testing and labeling in accordance with current National Institute of Justice (NIJ) Standards/Requirements on Ballistic Resistance of Body Armor;
  - II. Are certified under current International Organization for Standardization-ISO 9001:2008 standards for production and manufacturing; and
  - III. Ensure that the body armour provided is listed on the NIJ Compliant Products List, including replacement panels and carriers, in accordance with current NIJ Standards/Requirements.
- c) Ensure that each member uses, maintains, and cares for the body armour provided in accordance with the manufacturer's instructions;
- d) Ensure that a formal and documented inspection program is in place that addresses wear and tear; and

- e) Ensure that members receive the appropriate training on the legislative requirements of the Ontario *Health and Safety Act (OHSA)* and information on use and care, as well as the benefits and limitations of body armour:
  - I. Consult with designated employee representatives regarding the acquisition of body armour.

This policy does not invalidate or render unsuitable any body armour models previously determined by the NIJ to be compliant to either the NIJ 2005 Interim Requirements or the NIJ Standard–0101.04 Rev. A Requirements. While it may not be necessary to remove these existing armourers from service, agencies are advised to always require their procurements to meet or exceed the most recent and up-to-date version of this policy.

  
\_\_\_\_\_  
Chair

March 17, 2025  
\_\_\_\_\_  
Date